

SCons Reference Manual 1.1.0

Steven Knight

SCons Reference Manual 1.1.0

by Steven Knight

Revision (2009/02/16 19:00:12) Edition

Published 2003

Copyright © 2003 Steven Knight

SCons User's Guide Copyright (c) 2003 Steven Knight

Table of Contents

1. Preface	1
Why sCons?	1
History	1
Conventions	1
Acknowledgements	1
Contact	1
2. Builder Reference	3
The Alias Builder	3
The Alias Method	3
The CFile Builder	3
The CFile Method	3
The Command Builder	3
The Command Method	3
The CXXFile Builder	3
The CXXFile Method	3
The Install Builder	3
The Install Method	3
The InstallAs Builder	3
The InstallAs Method	4
The Library Builder	4
Linking With a Library	4
Creating a Library	4
The Library Builder	4
The Object Builder	4
The Object Method	4
The PCH Builder	5
The PCH Method	5
The PDF Builder	5
The PDF Method	5
The PDF Builder	5
The PostScript Method	5
The Program Builder	5
The Program Builder	5
The RES Builder	5
The RES Method	5
The SharedLibrary Builder	5
The SharedLibrary Method	6
The SharedObject Builder	6
The SharedObject Method	6
The StaticLibrary Builder	6
The StaticLibrary Method	6
The StaticObject Builder	6
The StaticObject Method	6
3. Construction Variable Reference	7
AR	7
A. Errors Generated by sCons	9
X	9

Chapter 1. Preface

X

Why sCons?

X

History

X

Conventions

X

Acknowledgements

X

Contact

X

Chapter 2. Builder Reference

The Alias Builder

X

The `Alias` Method

X

The CFile Builder

X

The `CFile` Method

X

The Command Builder

X

The `Command` Method

X

The CXXFile Builder

X

The `CXXFile` Method

X

The Install Builder

X

The `Install` Method

X

The InstallAs Builder

X

The InstallAs Method

X

The Library Builder

Linking With a Library

```
env = Environment(CC = 'gcc',  
                  LIBS = 'world')  
env.Program('hello.c')
```

```
% scons  
gcc -c hello.c -o hello.o  
gcc -c world.c -o world.o  
gcc -o hello hello.o -lworld
```

Creating a Library

```
env = Environment(CC = 'gcc',  
                  LIBS = 'world')  
env.Program('hello.c')  
env.Library('world.c')
```

```
% scons  
gcc -c hello.c -o hello.o  
gcc -c world.c -o world.o  
ar r libworld.a world.o  
ar: creating libworld.a  
ranlib libworld.a  
gcc -o hello hello.o libworld.a
```

The Library Builder

X

The Object Builder

X

The Object Method

X

The PCH Builder

X

The PCH Method

X

The PDF Builder

X

The PDF Method

X

The PDF Builder

X

The PostScript Method

X

The Program Builder

X

The Program Builder

X

The RES Builder

X

The RES Method

X

The SharedLibrary Builder

X

The SharedLibrary Method

X

The SharedObject Builder

X

The SharedObject Method

X

The StaticLibrary Builder

X

The StaticLibrary Method

X

The StaticObject Builder

X

The StaticObject Method

X

Chapter 3. Construction Variable Reference

AR

X

Appendix A. Errors Generated by sCons

X

X

X

